

Beaded Panels

- Economic alternative to manufacturing your own custom panels
- Features 1-1/2" on center "V" groove spacing

Item #	Color	Core	Groove Spacing	Unit
VABP25FBPRIME*	Primed	Primed MDF	1[1/2]"	60

Beaded Panels



- Nantucket® BeadBoard sheets are an ideal alternative to traditional wall material such as plaster, drywall or paneling
- Cover large surface areas including interior and exterior walls and ceilings
- Primed on one side and ready for paint
- Available with either the standard bead or V-bead profile
- Custom sheet sizes and patterns are available by special request (no minimums apply)
- Made in USA

Item #	Core	Groove Spacing	Pattern	Unit
NB1225VB	Primed MDF	2[1/2]"	V Bead	45

Natural Tan Cork


- 1/4" thickness x 48" wide
- Sold by the linear foot



Item #	Color	Size
DODR-76	Natural Tan	[1/4]" x 48"

Slotted Panels

- Economic alternative to manufacturing your own custom panels
- Choose from either low-pressure melamine or paint grade surfaces on a 3/4" MDF core
- Features standard 3" on center groove spacing
- Finish options include custom high-pressure laminate from any manufacturer or custom color matching (lead-times will vary)
- Aluminum inserts sold separately, 96" L



Item #	Color	Core	Groove Spacing	Unit
NSSLOT34ALM*	Almond	MDF	3"	30
NSSLOT34BLK	Black	MDF	3"	30
NSSLOT34MPL*	Maple	MDF	3"	30
NSSLOT34WHT	White	MDF	3"	30
NSSLOT34PNT	Paint Grade	MDF	3"	30
NSMETAL*	-	-	-	-

Edgemate Wood Sheet Veneer 10 mil

- 10 mil backed
- Wood veneer laminated to a resin impregnated backer sheet which ensures a reliable backer-to-face bond
- Reduces blistering, warping, cupping, splits, and cracks
- Very flexible and easy to work with
- Ideal for wrapping contours and shapes
- Cuts with scissors
- Applies in seconds with glue, contact cement, or hot melt



EDGEMATE

Item #	Cut	Species
EM080155H*	-	Clear White Pine
EM080067	Plain Sliced	Cherry
EM080071*	Plain Sliced	Walnut
EM080170H*	Plain Sliced	Honduras Mahogany
EM080290	Plain Sliced	White Maple
EM080233	Plain Sliced	Red Oak
EM080251*	Plain Sliced	White Oak
EM080254*	Quarter Cut	White Oak
EM080185*	Rift Cut	Red Oak
EM080200H*	Rift Cut	White Oak
EM080294*	Rotary Cut	White Maple
EM080214*	Plain Sliced	Cherry
EM080291*	Plain Sliced	Maple

Edgemate ALLWOOD™ 2 Ply Sheet Veneer

- Consists of A-grade wood veneer laminated to a sound wood veneer back of the same or similar species
- Eliminates black line
- Offers excellent flexibility
- Easier to use than high pressure laminates
- Eliminates telegraphing and checking
- Pre-sanded
- Cross-banded wood veneer back minimizes expansion




EDGEMATE

Item #	Cut	Species
EM080636*	Flat Cut	African Mahogany
EM080623	Plain Sliced	Cherry
EM080611	SMN Plain Sliced	Maple
EM080542	Plain Sliced	Red Oak
EM080641*	Plain Sliced	Walnut

Edgemate Wood Sheet Veneer 20 mil

- 20 mil laminate has a semi-rigid back which provides an excellent surface bond
- Backer is thicker to eliminate telegraphing and sand through
- Suitable for wrapping columns and curved panels
- Pre-sanded and stress relieved
- Excellent coverage and durability



EDGEMATE

Item #	Cut	Species
EM080210*	Plain Sliced	Cherry
EM080238*	Plain Sliced	Red Oak
EM080299*	Plain Sliced	Maple

Edgemate Peel & Stick Wood Sheet Veneer 10 mil

- 10 mil backed
- Wood veneer laminated to a resin impregnated backer sheet which ensures a reliable backer-to-face bond
- Reduces blistering, warping, cupping, splits, and cracks
- Very flexible and easy to work with
- Ideal for wrapping contours and shapes
- Cuts with scissors
- Applies in seconds with glue, contact cement, or hot melt



EDGEMATE

Item #	Cut	Species
EM080555*	Plain Sliced	White Maple

Edgemate Wood Sheet Veneer Retail Pack 20 mil

- Special retail packaging for those customers reselling to the end user
- Hand sorted premium grade veneer
- Manufactured in Pennsylvania
- 20 mil laminate has a semi-rigid back which provides an excellent surface bond
- Backer is thicker to eliminate telegraphing and sand through
- Suitable for wrapping columns and curved panels
- Pre-sanded and stress relieved
- Excellent coverage and durability



EDGEMATE

Item #	Cut	Species
EM8101568*	Plain Sliced	Maple

Knobs, Pulls & Hinges
Surface Materials
Boards & Panels
Adhesives, Abrasives & Lubricants
Catches & Locks
Fasteners & Fittings
Hinges, Mounting Plates & Bumpers
Kitchen & Bath Accessories
Lighting
Other Functional Hardware
Safety Products
Shelving, Closets & Tracks
Tools & Machines
Wood Finishes
Wood Products



Lauan Bending Products

- Good quality
- Column 48" x 96"
- Barrel 96" x 48" and 120" x 48"

Item #	Thickness	Width	Length	Cut	Face	Core	Unit	Brand
DV021949*	[3/8]"	48"	96"			Veneer	80	Darlington Veneer
CW021949	[3/8]"	48"	96"	Rotary	Birch	Veneer	24	Columbia Forest Products
DV021959*	[3/8]"	96"	48"			Veneer	80	Darlington Veneer
CW021959	[3/8]"	96"	48"	Rotary	Birch	Veneer	24	Columbia Forest Products

Amescla Bahama Exterior Lauan

- Interlocked grain; coarse textured
- Exterior phenolic glue

Item #	Thickness	Width	Length	Grade	Finish	Type	Core	Unit
RK024024	18mm	60"	96"	BB/CC	S2S	Bahama	Veneer	40

Lauan Templating

Item #	Core	Thickness	Width	Length	Unit
TB20009	Veneer	3mm	4'	8'	220

Lauan Corrugated Plastic Templating

Item #	Color	Unit	Thickness	Width	Length
TEMPLAST2	Natural	275	4mm	28"	120"
TEMPLAST1	Natural	275	4mm	48"	96"

Kerfkore® Bending Products Econokore

- Econokore is a highly flexible, 2-ply product ideal for use in numerous kinds of radius projects
- Core consists of kerfed MDF with a high density overlay
- An economical substitute for bending panels
- No sanding or patching required
- Provides a smoother, more symmetrical surface for laminating or painting
- No warping or twisting
- No odor or flat spots
- Install using traditional fabricating tools and methods
- Now offered as FSC®, please call for a quote



Item #	Thickness	Length	Width	Face	Unit
IPEK38FBX*	[3/4]"	96"	48"	HDF	60

Kerfkore® Bending Products Flexboard

- Provides 10" radius fabrications quickly and easily with no sanding, patching, multiple layers, special installation, or odor
- Can be bent and attached to a ribbed frame easily with staples and nails
- Consists of a core of kerfed particleboard with a .080 thick hardboard face
- Hardboard surface is ideal for painting or laminating paper, vinyl, veneer, HPL, and metal
- Consistent thickness results in excellent seam hiding qualities without filling or sanding
- Ideal for repeatable symmetrical bending
- Now offered as FSC®-certified, please call for a quote



Item #	Thickness	Width	Length	Unit
IPFB75PB*	[3/4]"	48"	96"	40
IPFB75PBX	[3/4]"	96"	48"	40

Kerfkore® Bending Products Timberflex

- Bendable panel with a 3-ply Italian poplar face that is ready to paint, stain, or laminate without the need for patching or sanding
- Can bend to a 5" radius
- Panels are perfectly flat without dips, valleys, and hard spots
- Dimensionally sized to have the same thickness throughout to ensure excellent seam hiding characteristics
- No veneer checking or telegraphing
- Never "springs back" and will always "hang true"
- Now offered as FSC®, please call for a quote



Item #	Thickness	Width	Length	Core	Unit
IPTF75PBX	[3/4]"	96"	48"	Particleboard	40

Hardboard Tempered Hardboard

- Manufactured smooth on two sides
- Ideal for a variety of applications such as furniture components, store fixtures and cabinets
- Hardboard accepts laminates, paints easily, resists dimensional changes, and can be wet-film finished

Item #	Thickness	Width	Length	Finish	Unit
LC026151	[1/8]"	48"	96"	S2S	100
LC026349	[1/4]"	48"	96"	S2S	100

Fiberboard Micore® 300 Mineral Fiberboard Sand & Coated, Fire Retardant

- Versatile, high performance core or substrate
- Density 24 lbs +/- 2 lbs per cubic foot
- Handles more easily than gypsum panels and particleboard
- Smooth, coated finish maintains tighter tolerance
- Exceptional tackability
- Good sound control
- Class A fire-rating
- Excellent for fabric and vinyl covered wall panels, office dividers, tackboards, chalkboard cores, stove boards, and similar applications

Item #	Thickness	Width	Length	Unit
US053820	[1/2]"	48"	96"	80
US053860	[1/2]"	48"	120"	80
US053911*	[3/4]"	48"	96"	50

Omega National Products Tambour

- Ideal for interior vertical applications
- Wood veneer tambour features: flat cut veneer face, balanced construction, dark brown core and 7/32" thickness, available in several wood species, sanded and ready to finish
- Solid wood tambour features individual solid hardwood slat mouldings bonded to a cloth backer, sanded and ready to finish, lead rails 1-1/2" wide x tambour thickness
- Made in USA



Item #	Finish	Thickness	Width	Length
OMV3CH520*	Cherry	[3/16]"	36"	47[1/2]"
OMV3HI509*	Hickory	[3/16]"	36"	47[1/2]"
OMV3MA501	Maple	[3/16]"	36"	47[1/2]"
OMV3RO502*	Red Oak	[3/16]"	36"	47[1/2]"
OMV100801CG8*	Red Oak	[3/16]"	48	96"
OMSW30AL601*	Alder	[3/16]"	36"	60"
OMSW30CH605*	Cherry	[3/16]"	36"	60"
OMSW30MA601	Maple	[3/16]"	36"	60"
OMSW30RO607*	Red Oak	[3/16]"	36"	60"

Kerfkore® Lightweight Hardboard Foamkore

- Consists of a balanced constructed foam board that provides a structural panel with greatly reduced weight
- Up to 80% reduced weight when compared to conventional panels of plywood, particleboard, and MDF



Item #	Face	Core	Unit
IPFK75HB08*	Hardboard, 2-sides	Polystyrene Foam Core	40

Knobs, Pulls & Hinges
Surface Materials
Boards & Panels
Adhesives, Abrasives & Lubricants
Catches & Locks
Fasteners & Fittings
Hinges, Mounting Plates & Bumpers
Kitchen & Bath Accessories
Lighting
Other Functional Hardware
Safety Products
Shelving, Closets & Tracks
Tools & Machines
Wood Finishes
Wood Products



African Mahogany
Hardwood Plywood

- Plain sliced to produce a cathedral grain effect
- Grain straight to interlocked; medium to moderately coarse textured

Item #	Thickness	Width	Length	Grade	Cut	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW043299	[3/4]"	48"	96"	A-3	Plain Sliced	African Mahogany	Rotary Cut/ Birch	Veneer	24	Columbia Forest Products
DV043325	[3/4]"	48"	96"	A-1 SMN	Plain Sliced	African Mahogany		MDF	40	Darlington Veneer
CW043325	[3/4]"	48"	96"	A-1 SMNL	Plain Sliced	African Mahogany	Plain Sliced/ African Mahogany	MDF	24	Columbia Forest Products
CW043330	[3/4]"	48"	96"	A-1	Plain Sliced	African Mahogany	Plain Sliced/ African Mahogany	Veneer	24	Columbia Forest Products

Cherry
Hardwood Plywood

- Rotary cut to produce variegated grain or plain sliced to produce a cathedral grain effect
- Its texture is close grain and uniform, with occasional knots or trace of gum

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
HP001059*	[1/4]"	48.5"	96.5"	A-4	Plain Sliced	Cherry		Veneer	60	Husky Plywood
DV001059	[1/4]"	48.5"	96.5"	A-4	Plain Sliced	Cherry		Veneer	24	Darlington Veneer
CW001059	[1/4]"	48"	96"	A-3	Plain Sliced	Cherry	Rotary Cut/ Birch	Veneer	24	Columbia Forest Products
CW001081	[1/4]"	48"	96"	A-1	Plain Sliced	Cherry	Plain Sliced/ Cherry	MDF	24	Columbia Forest Products
DV001248*	[1/2]"	48.5"	96.5"	A-1	Plain Sliced	Cherry (No Sap Back)		Veneer	60	Darlington Veneer
CW001248	[1/2]"	48"	96"	A-1	Plain Sliced	Cherry	Plain Sliced/ Cherry Heartwood	Veneer	24	Columbia Forest Products
DV001105	[3/4]"	48.5"	96.5"	A-1 SMN	Plain Sliced	Cherry		MDF	40	Darlington Veneer
DV001125	[3/4]"	48"	96"	A-1	Plain Sliced	Cherry		Veneer	40	Darlington Veneer
CW001105	[3/4]"	48"	96"	A-1 SMNL	Plain Sliced	Cherry	Plain Sliced/ Cherry	MDF	24	Columbia Forest Products
CW001125	[3/4]"	48"	96"	A-1	Plain Sliced	Cherry	Plain Sliced/ Cherry	Veneer	24	Columbia Forest Products
CW001169	[3/4]"	48"	120"	A-1 SMNL	Plain Sliced	Cherry	Plain Sliced/ Cherry Heartwood	MDF	24	Columbia Forest Products

Chinese Birch Hardwood Plywood

- Rotary cut to produce a variegated grain
- Plain sliced to produce a cathedral grain effect
- Straight, close-grained pattern; fine textured and uniform

Item #	Thickness	Width	Length	Grade	Cut	Species	Core	Unit
TB1448	5.2mm	48"	96"	C-2 WPF	Rotary Cut	Chinese	Veneer	180
TB1248	12mm	48"	96"	C-C	Rotary Cut	Chinese	Veneer	60
TB1848	18mm	48"	96"	C-2	Rotary Cut	Chinese Birch	Veneer	40
TB1948CC	19mm	48"	96"	C-C	Rotary Cut	Chinese Birch	Veneer Core	50

Exterior Pine Hardwood Plywood NAUF

Item #	Thickness	Width	Length	Grade	Cut	Species	Core
AU017420	[²³ / ₃₂ "]	48"	96"	AC	S1S	Exterior Pine	Veneer
AU017422	[³¹ / ₃₂ "]	48"	96"	AC	S1S	Exterior Pine	Veneer

Maple Hardwood Plywood

- Rotary cut to produce variegated grain

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/ Face 2	Core	Unit	Brand
CW005028	[¹ / ₂ "]	48"	96"	D-3 WPF	Rotary Cut	Maple	L Grade/ Maple	Veneer	75	Columbia Forest Products
CW005028FSCNF	[¹ / ₂ "]	48"	96"	D-3 WPF	Rotary Cut	Maple	L Grade/ Maple	Veneer	24	Columbia Forest Products
HP005028*	[¹ / ₂ "]	48.5"	96.5"	Shop	Rotary Cut	Maple		Aspen Veneer	60	Husky Plywood
CW005030	[³ / ₄ "]	48"	96"	D-3 WPF	Rotary Cut	Maple	Maple	Veneer	48	Columbia Forest Products
CW005030FSCNF	³ / ₄ "	48"	96"	D-3 WPF	Rotary Cut	Maple	Maple	Veneer	50	Columbia Forest Products
CW056398	[⁵ / ₈ "]	48"	96"	C-2 WPF	Rotary Cut	Maple	K Grade	Veneer	24	Columbia Forest Products



Maple Sap
Hardwood Plywood

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW005032	3/4"	48"	96"	C-1 WP	Rotary Cut	Maple Sap	Maple Sap	Veneer	24	Columbia Forest Products
CW733205	3/4"	48"	96"	B-1 WPF	Rotary Cut	Maple Sap	Rotary Cut/ Maple Sap	Veneer	24	Columbia Forest Products
CW534150*	1/2"	48"	96"	B-1 WPF	Rotary Cut	Maple Sap	Rotary Cut/ Maple Sap	Veneer	24	Columbia Forest Products

Natural Birch
Hardwood Plywood

- Rotary cut to produce a variegated grain
- Plain sliced to produce a cathedral grain effect
- Straight, close-grained pattern; fine textured and uniform

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW002220	1/2"	48"	96"	C-3 WPF	Rotary	Nat Birch	L Grade/ Nat Birch	Veneer	24	Columbia Forest Products
HP055999*	1/2"	48.5"	96.5"	D-3	Shop Grade	Nat Birch		Aspen Veneer	60	Husky Plywood
HP003120*	3/4"	48"	96"	A-1 WPF	Rotary Cut	Nat Birch		Aspen Veneer	40	Husky Plywood
CW003120	3/4"	48"	96"	A-1 WPF	Rotary Cut	Nat Birch	K Grade/ Nat Birch	Veneer	24	Columbia Forest Products
CW056000	3/4"	48"	96"	C-3 WPF	Rotary Cut	Nat Birch	L Grade/ Nat Birch	Veneer	24	Columbia Forest Products
HP056000*	3/4"	48.5"	96.5"	C-3 WPF	Rotary Cut	Nat Birch		Poplar Veneer	40	Husky Plywood
DV003200*	3/4"	48.5"	120.5"	C-1	Rotary Cut	Nat Birch		Veneer	16	Darlington Veneer
CW003200*	3/4"	48.5"	120.5"	C-1 WP	Rotary Cut	Nat Birch	Rotary Cut/ Nat Birch	MPX	24	Columbia Forest Products
TB003189*	1"	48"	96"	C-2	Rotary Cut	Nat Birch		Veneer	30	
CW003189	1"	48"	96"	C-2 WPF	Rotary Cut	Nat Birch	K Grade	Veneer	24	Columbia Forest Products

**Natural Maple
Hardwood Plywood**

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW041448	[1/4]"	48"	96"	A-3 WP	Rotary Cut	Natural Maple	Rotary Cut/ Natural Maple	Veneer	24	Columbia Forest Products
DV041448*	[1/4]"	48.5"	96.5"	A-4 WPF		Natural Maple		Veneer	-	Darlington Veneer
CW041248	[1/2]"	48"	96"	A-1 WPF	Rotary Cut	Natural Maple	Rotary Cut/ Natural Maple	Veneer	24	Columbia Forest Products
DV041248*	[1/2]"	48.5"	96.5"	A-1 WPF		Natural Maple		Veneer/ Natural Back	-	Darlington Veneer
CW043448	[3/4]"	48"	96"	A-1 WPF	Rotary Cut	Natural Maple	Rotary Cut/ Natural Maple	Veneer	24	Columbia Forest Products

**Prefinished Chinese White Birch
Hardwood Plywood**

- Prefinished panel one or two sides medium gloss
- Ultraviolet cured topcoat is harder than catalyzed acrylics and other conventional flat line finishes
- WPF white birch

Item #	Thickness	Width	Length	Grade	Finish	Species	Core	Unit
TBPF141	5.2mm	48"	96"	C-4	1 Side	White Birch	Veneer	180
TBPF121	12mm	48"	96"	C/C	1 Side	White Birch	Veneer	78
TBPF122	12mm	48"	96"	C/C	2 Side	White Birch	Veneer	78
TBPF181	18mm	48"	96"	C/C	1 Side	White Birch	Veneer	52
TBPF182	18mm	48"	96"	C/C	2 Side	White Birch	Veneer	52

**Prefinished Natural Maple
Hardwood Plywood**

- Prefinished panel one or two sides medium gloss
- Ultraviolet cured topcoat is formaldehyde free and harder than catalyzed acrylics and other conventional flat line finishes
- Quality domestic plywood

Item #	Thickness	Width	Length	Grade	Finish	Species	Core	Unit
HP056240*	[1/4]"	49"	97"	C-4	1 Side	Natural Maple	Veneer	120
HP056306*	[1/2]"	49"	97"	C-2	1 Side	Natural Maple	Veneer	75
HP056398*	[5/8]"	49"	97"	B-2	2 Side High Gloss	Natural Maple	Veneer	60
HP056031*	[3/4]"	49"	97"	C-2	1 Side	Natural Maple	Veneer	50
HP056319*	[3/4]"	49"	97"	C-2	2 Side	Natural Maple	Veneer	50



**Prefinished Briggs Select
Hardwood Plywood**



- Briggs Select line of hardwood plywood provides quality you can count on
- Strict quality standards
- Exceeds HPVA requirements for outstanding performance
- Oversized for more efficient yield
- In stock and available for immediate delivery
- PF2S, clear UV finish
- Great for closets

Item #	Width	Length	Grade	Cut	Species	Core	Unit
EC34WALAA*	48.5"	96.5"	A-A	Plain	Walnut	MDF	40

**Red Oak
Hardwood Plywood**

- Rotary cut to produce variegated grain or plain sliced to produce a cathedral grain effect
- Plain sliced to produce a cathedral grain effect
- Rift cut to produce a slight angle to the medullary rays to minimize ray fleck

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW048125	[1/4]"	48"	96"	A-3	Plain Sliced	Red Oak	Rotary Cut/ Red Oak	Veneer	24	Columbia Forest Products
DV051248*	[1/2]"	48.5"	96.5"	A-1	Plain Sliced	Red Oak		Veneer Rotary Cut Back	60	Darlington Veneer
CW051248	[1/2]"	48"	96"	A-1 Purebond	Plain Sliced	Red Oak	Rotary Cut/ Red Oak	Veneer	24	Columbia Forest Products
DV051030*	[3/4]"	48.5"	72.5"	A-1	Plain Sliced	Red Oak		MDF	40	Darlington Veneer
CW051030	[3/4]"	48"	72"	A-2	Plain Sliced	Red Oak	Rotary Cut/ Red Oak	MDF	24	Columbia Forest Products
DV051250*	[3/4]"	48"	96"	A-1	Plain Sliced	Red Oak		MDF	40	Darlington Veneer
HP050050*	[3/4]"	48.5"	96.5"	A-1	Plain Sliced	Red Oak		Veneer	40	Husky Plywood
CW050050	[3/4]"	48"	96"	A-1 K	Plain Sliced	Red Oak	Rotary Cut	Veneer	24	Columbia Forest Products
CW051250	[3/4]"	48"	96"	A-1	Plain Sliced	Red Oak	Rotary Cut/ Red Oak	MDF	24	Columbia Forest Products

Russian Birch Hardwood Plywood

- Multi-ply birch veneer provides superior stability and strength
- This panel is an exceptional performer when strength is desired, when either the face veneer or panel edges are exposed, or when a pleasing edge appearance is needed
- Rotary cut
- White birch with all birch inner-plys
- 6mm = 5 plys
- 12mm = 9 plys
- 18mm = 13 plys
- 25mm = 18 plys

Item #	Thickness	Width	Length	Grade	Cut	Species	Core	Unit
RI009202	[3/8]"	60"	60"	BB-BB	Rotary	Russian Birch	Veneer	-
RL009200	6mm	60"	60"	BB-BB	Rotary	Russian Birch	Veneer	65
RL009204	12mm	60"	60"	BB-BB	Rotary	Russian Birch	Veneer	33
RL009224	12mm	60"	60"	B-BB	Rotary	Russian Birch	Veneer	33
RL009208	18mm	60"	60"	BB-BB	Rotary	Russian Birch	Veneer	22
RL009212	18mm	60"	60"	B-BB	Rotary	Russian Birch	Veneer	22

Sapele Hardwood Plywood

- Quarter sliced to produce a straight grain veneer

Item #	Thickness	Width	Length	Grade	Cut	Species	Core	Unit
DV043199*	[3/4]"	48.5"	96.5"	A-1 SMN	PlainSliced	Sapele	MDF	40

Tackboard Hardwood Plywood

- Sound absorbing
- Tackable surface
- Great for office partitions
- PBLLB07849X97 is a 3-ply product consisting of a 3/8" face of soft fibreboard, an 1/8" core of HDF and a back of 3/8" soft fibreboard
- PBTAk1269D is a 3-ply product consisting of a .020" polybak face, a 1/2" core of soft fibreboard and a back of .020" polybak

Item #	Thickness	Width	Length
PBLLB07849X97*	[7/8]"	49"	97"
PBTAk1269D*	[1/2]"	49"	97"

Knobs, Pulls
& Hinges

Surface
Materials

Boards
& Panels

Adhesives,
Abrivesives
& Lubricants

Catches
& Locks

Fasteners
& Fittings

Hinges,
Mounting
Plates &
Bumpers

Kitchen
& Bath
Accessories

Lighting

Other
Functional
Hardware

Safety
Products

Shelving,
Closets &
Tracks

Tools &
Machines

Wood
Finishes

Wood
Products

**Walnut
Hardwood Plywood**

- Plain sliced to produce a cathedral grain effect
- Straight to interlocked or curly, wavy grained; medium to coarse textured

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW060015	[3/4]"	48"	96"	A-1	Plain Sliced	Walnut	Plain Sliced/ Walnut Heartwood	MDF	24	Columbia Forest Products
CW060035	[3/4]"	48"	96"	A-1	Plain Sliced	Walnut	Plain Sliced/ Walnut Heartwood	Veneer	24	Columbia Forest Products

**White Ash
Hardwood Plywood**

- Plain sliced to produce a cathedral grain effect
- Straight grain, coarse, and even textured

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CWASH001	[3/4]"	48"	96"	A-3 WPF	Rotary Cut	Ash Sap	Rotary Cut-Book Matched/ Ash	Veneer	24	Columbia Forest Products

**White Birch
Hardwood Plywood**

- Rotary cut to produce variegated grain or plain sliced to produce a cathedral grain effect

Item #	Thickness	Width	Length	Grade	Cut	Species	Core
TB1848	18mm	48"	96"	C-2	Rotary	White Birch	Veneer

**White Oak
Hardwood Plywood**

- Plain sliced to produce a cathedral grain effect
- Rift cut to produce a slight angle to the medullary rays to minimize ray fleck

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW057300	[3/4]"	48"	96"	A-1	Plain Sliced	White Oak	Plain Sliced/ White Oak	Veneer	24	Columbia Forest Products
CW057200	[3/4]"	48"	96"	B-1	Rift	White Oak	Rift/ White Oak	Particleboard	24	Columbia Forest Products
CWPL6129	[3/4]"	48"	96"	A-1	Rift	White Oak	Rift/ White Oak	MDF	24	Columbia Forest Products

White Maple Hardwood Plywood

- Rotary cut to produce variegated grain or plain sliced to produce a cathedral grain effect
- Straight, close grained pattern, sometimes wavy or curly; fine textured; can be highly figured
- Plain sliced to produce a cathedral grain effect
- Quarter sliced to produce a straight grain veneer

Item #	Thickness	Width	Length	Grade	Cut 1	Face 1	Cut 2/Face 2	Core	Unit	Brand
CW042106	[3/4]"	48"	96"	A-3 K	Plain Sliced	White Maple	Rotary Cut/ Maple	Veneer	24	Columbia Forest Products
CW056240	[3/4]"	48"	96"	C-3 WPF	Rotary Cut	White Maple	Plain Sliced- Book Matched/ Natural Maple	Veneer	24	Columbia Forest Products
DV042106*	[3/4]"	48.5"	96.5"	A-4	Plain Sliced	White Maple		Veneer	120	Darlington Veneer
CW056306	[1/2]"	48"	96"	C-2 WPF	Rotary Cut	White Maple	Plain Sliced- Book Matched/ Natural Maple	Veneer	24	Columbia Forest Products
CW056307	[1/2]"	48"	96"	C-C WPF	Rotary Cut	White Maple	K Grade	Veneer	24	Columbia Forest Products
CW005033NAF	[1/2]"	48"	96"	C-C WPF	Rotary Cut	White Maple	K Grade/ Maple	Veneer	24	Columbia Forest Products
CWPO42900	[1/2]"	48"	96"	A-1	Plain Sliced	White Maple	Rotary Cut/ Maple	Veneer	24	Columbia Forest Products
DVPO42900*	[1/2]"	48.5"	96.5"	A-1	Plain Sliced	White Maple		Veneer	60	Darlington Veneer
CW042325	[3/4]"	48"	96"	B-2	Plain Sliced	White Maple	Rotary Cut/ Maple	MDF	24	Columbia Forest Products
CW042330	[3/4]"	48"	96"	A-1 SMNL	Plain Sliced	White Maple	Rotary Cut/ Maple Sap	MDF	24	Columbia Forest Products
CW042338	[3/4]"	48"	96"	A-1 K	Plain Sliced	White Maple	Rotary Cut/ Maple	Veneer	24	Columbia Forest Products
CW056031	[3/4]"	48"	96"	C-2 WPF	Rotary Cut	White Maple	Plain Sliced- Book Matched/ Natural Maple	Veneer	24	Columbia Forest Products
CW056319	[3/4]"	48"	96"	C-C WPF	Rotary Cut	White Maple	K Grade	Veneer	24	Columbia Forest Products
DV042330	[3/4]"	48.5"	96.5"	A-1 SMN	Plain Sliced	White Maple		MDF	40	Darlington Veneer
HP042338*	[3/4]"	48.5"	96.5"	A-1	Plain Sliced	White Maple		Veneer	40	Husky Plywood
DVPOP0421*	[3/4]"	48.5"	96.5"	A-1	Plain Sliced	White Maple		Veneer	40	Darlington Veneer
HP005032*	[3/4]"	48.5"	96.5"	C-2	Shop Grade	White Maple		Aspen Veneer	40	Husky Plywood
CW042331	[3/4]"	48"	120"	A-1 SMNL	Plain Sliced	White Maple	Rotary Cut/ Maple Sap	MDF	24	Columbia Forest Products

Knobs, Pulls
& Hinges

Surface
Materials

Boards
& Panels

Adhesives,
Abrasives &
Lubricants

Catches
& Locks

Fasteners
& Fittings

Hinges,
Mounting
Plates &
Bumpers

Kitchen
& Bath
Accessories

Lighting

Other
Functional
Hardware

Safety
Products

Shelving,
Closets &
Tracks


Tools &
Machines

Wood
Finishes

Wood
Products

**Extira® MDF
Exterior Grade**

- Extira® treated exterior wood composite panel is moisture, rot, and termite resistant
- Treated with zinc borate (EPA registered wood preservative) and is essentially formaldehyde free
- One piece solid substrate, not laminated
- Can be used for virtually any non-structural paint grade application, including exterior millwork, door and window parts, signage, and other OEM components
- No added formaldehyde
- Class C fire rating
- LEED Credits supported: Indoor environmental quality 4.4



Item #	Thickness	Width	Length	Unit
CF8504923	[1/2]"	49"	97"	50
CF8304923	[3/4]"	49"	97"	40
CF8404923*	1"	49"	97"	30

**FSC-Certified MDF
NAUF & FSC® Certified**

- Made without added urea formaldehyde
- Lower emissions
- Delivers the excellent machining and finishing performance demanded for furniture and cabinets
- Offers valuable credits in green building rating systems such as LEED, NAHB Green Building Standard, Green Globe, and C.A.R.B

Item #	Thickness	Width	Length	Unit
IC0749097	[1/4]"	49"	97"	62
IC084097	[1/2]"	49"	97"	42
IC027407*	[1/2]"	61"	97"	42
IC027419	[11/16]"	49"	97"	40
ICD1001161097	11/16"	61"	97"	35
ICD1001161121	11/16"	61"	121"	35
ICD1001161145	11/16"	61"	145"	35
IC027421	[3/4]"	49"	97"	32
IC027422	[3/4]"	49"	121"	32
IC001261097	[3/4]"	61"	97"	32

MDF

- Value added MDF with 2-sided primed surface

Item #	Thickness	Width	Length	Unit
EC3448FSCMDF*	3/4"	4'	8'	32

FibreX® MDF

- High density thin MDF

Item #	Thickness	Width	Length	Unit
FL027186	[1/8]"	49"	97"	200

MDF

- Medium Density Fiberboard (MDF) is a wood derivative that is best used in place of solid wood
- Ideal for making furniture or wood flooring, as well as in construction applications
- Flexible surface is ideal for varnishing

Item #	Thickness	Width	Length	Unit
IC027389S	[1/4]"	49"	97"	96
IC027393	[1/4]"	49"	121"	96
IC027392	[1/4]"	61"	97"	96
IC027394	[3/8]"	61"	145"	80
IC027400	[1/2]"	49"	97"	50
IC49121	[1/2]"	49"	121"	50
IC027405	[1/2]"	61"	97"	50
IC02791612*	[9/16]"	49"	145"	40
IC027410	[5/8]"	49"	97"	40
IC027418	[11/16]"	49"	97"	35
IC027505	[11/16]"	49"	121"	35
IC274181	[11/16]"	61"	97"	35
IC027420	[3/4]"	49"	97"	32
IC027428	[3/4]"	49"	121"	32
IC027310	[3/4]"	49"	145"	32
IC027425	[3/4]"	61"	97"	32
IC027427	[3/4]"	61"	121"	32
IC027426	[3/4]"	61"	145"	32
IC151648MDF	[15/16]"	49"	97"	23
IC027430	1"	49"	97"	24
IC027436*	1[1/8]"	49"	97"	21
IC027477	1[1/4]"	49"	97"	20

Moisture Resistant MDF

Item #	Thickness	Width	Length	Description	Unit
WYM274251	[3/4]"	49"	97"	Premier Plus MDF	30
IC151648MR	[15/16]"	49"	97"	MDF	24
IC151658MR	[15/16]"	61"	97"	MDF	24

Painted MDF

- High density thin MDF

Item #	Color	Thickness	Width	Length	Unit
FLPUREWHT25P	White 1 Side	[1/4]"	61"	97"	84
FLBLACK158P	Black 1 Side	[1/4]"	61"	97"	80

Premier® Plus MDF

- Premier Plus MDF is produced with a superior refining process, ensuring exceptional performance in moulding and millwork applications
- Excellent surface qualities for thin laminates and coatings
- Engineered for deep detailed profiling

Item #	Thickness	Width	Length	Unit
WY273901	[3/8]"	49"	97"	60
WY274001	[1/2]"	49"	97"	45
WY274031	[1/2]"	49"	121"	45
WY274052	[1/2]"	61"	97"	45
WY274101	[5/8]"	49"	97"	36
WY274184*	[11/16]"	49"	121"	33
WY274201	[3/4]"	49"	97"	30
WY274281	[3/4]"	49"	121"	30
WY274251	[3/4]"	61"	97"	30
WY274250	[3/4]"	61"	109"	30
WY274252	[3/4]"	61"	121"	30
WY274253	[3/4]"	61"	145"	30
WY274350*	[15/16]"	61"	97"	24
WY274353	1"	49"	97"	21
WY274352	1"	61"	97"	21
WY027361	1"	61"	121"	24
WY027436*	1[1/8]"	49"	97"	24
WY274035	1[1/8]"	61"	109"	21
WY274981	1[1/2]"	61"	97"	15

MDF Ultralight Fiberboard

- Approximately 1/3 less weight than standard MDF
- Ideal for any use where weight is a factor
- Double refined UDF produces a board that is very consistent throughout its core, making it ideal for edge profiling, moulding, and routing
- Recommended for use on CNC spoilboards

Item #	Thickness	Width	Length	Unit
LU025000	[1/2]"	49"	97"	83
LU025010	[3/4]"	49"	97"	55
LU25260	[3/4]"	60"	144"	36

VESTA MDF NAUF



- Manufactured using a no added urea-formaldehyde resin system and 100% recycled or recovered wood material
- VESTA particleboard can contribute to credits in the categories of Material & Resources (MR) and Indoor Environmental Quality (IEQ)
- Specifically they include:
 - MR 4.1 Recycled Content: 10% (1 point)
 - MR 4.2 Recycled Content: 20% (1 point added to 4.1)
 - MR 5.1 Regional Materials: 10% Extracted, Processed & Manufactured Regionally (1 point)
 - MR 5.2 Regional Materials: 20% Extracted, Processed & Manufactured Regionally (1 point added to 5.1)
- IEQ 4.4 Low Emitting Materials: Composite Wood & Agrifiber Products (1 point)

Item #	Thickness	Width	Length	Unit
WYV00012	[1/2]"	49"	97"	45
WYV00034	[3/4]"	49"	97"	30

Knobs, Pulls & Hinges
Surface Materials
Boards & Panels
Adhesives, Abrasives & Lubricants
Catches & Locks
Fasteners & Fittings
Hinges, Mounting Plates & Bumpers
Kitchen & Bath Accessories
Lighting
Other Functional Hardware
Safety Products
Shelving, Closets & Tracks
Tools & Machines
Wood Finishes
Wood Products

**VESTA Fire-Rated MDF
NAUF**

- Manufactured using a no added urea-formaldehyde resin system and 100% recycled or recovered wood material
- VESTA particleboard can contribute to credits in the categories of Material & Resources (MR) and Indoor Environmental Quality (IEQ)
- Specifically they include:
 - MR 4.1 Recycled Content: 10% (1 point)
 - MR 4.2 Recycled Content: 20% (1 point added to 4.1)
 - MR 5.1 Regional Materials: 10% Extracted, Processed & Manufactured Regionally (1 point)
 - MR 5.2 Regional Materials: 20% Extracted, Processed & Manufactured Regionally (1 point added to 5.1)
- IEQ 4.4 Low Emitting Materials: Composite Wood & Agrifiber Products (1 point)
- Fire-Rated



Item #	Thickness	Width	Length	Unit
WYVFR248	[1/2]"	49"	97"	45
WYVFR348	[3/4]"	49"	97"	30
WYVFR610	[3/4]"	49"	121"	30
WYVFR548	[3/4]"	61"	97"	30

Industrial Particleboard

- Highly versatile and has many applications
- Consists of three layers of wood fibers and has a uniform, flexible surface

Item #	Thickness	Width	Length	Unit
NM035320*	1[1/4]"	49"	97"	21
WY033000	[3/4]"	25"	97"	33
NM033000*	[3/4]"	25"	97"	33
WY033020	[3/4]"	25"	121"	44
WY033040	[3/4]"	25"	145"	44
WY033120	[3/4]"	30"	97"	33
WY033140	[3/4]"	30"	121"	33
WY033160	[3/4]"	30"	145"	44
WY033180*	[3/4]"	36"	97"	33
NM033180*	[3/4]"	36"	97"	33
WY033200	[3/4]"	36"	121"	33
WY033220	[3/4]"	36"	145"	18

**Flakeboard Duraflake® Fire-Rated Particleboard
FSC®-Certified**

- Duraflake® FR from Flakeboard is the panel of choice when building code and public safety specifications demand fire safety compliance. Duraflake® FR particleboard is a UL® approved, Class A/Class 1-rated fire retardant panel that's ideal for interior, non-structural use in restaurants, schools, hospitals, hotels, malls, airports, offices and public buildings.
- Duraflake® FR Offers:
 - Superior strength and dimensional stability
 - Low linear expansion and thickness swell
 - Smooth surface properties for laminating and finishing
 - Easy machining and low tool wear
 - Wide range of products and sizes

Item #	Thickness	Width	Length	Unit
WY038010	[5/8]"	49"	97"	54
WY03037	[1/2]"	49"	97"	50
WY038006	[1/2]"	49"	121"	48
WY038008	[1/2]"	61"	97"	50
WY15718	[5/8]"	61"	97"	40
WY038020	[11/16]"	49"	97"	37
WY038001	[11/16]"	61"	97"	37
WY038556	[11/16]"	61"	121"	37
WY038035	[3/4]"	49"	97"	34
WY038040	[3/4]"	49"	121"	34
WY038036	[3/4]"	61"	97"	34
WY038555	[3/4]"	61"	121"	34

Moisture Resistant Duraflake™ Particleboard

- Duraflake™ MR is an interior moisture resistant particleboard that is ideal for applications with high humidity and incidental moisture, such as kitchen, bath, and laboratory cabinets
- Multi-layered panel has fine particle distribution on the face layers, which results in a smooth surface for laminating and finishing
- Proven dimensional stability, low linear expansion, and low thickness swell
- Low tool wear and excellent workability

Item #	Thickness	Width	Length	Unit
WY036025*	[3/4]"	30"	145"	34
WY036024*	[3/4]"	49"	97"	34

Ultrapine Particleboard

- Smooth finishing surfaces for easy laminating and finishing
- Strength and dimensional stability at lower density
- Easy handling and workability
- Multi-layered design
- Contains 100% recycled/recovered wood content
- Conforms to formaldehyde emission requirements for particleboard

Item #	Thickness	Width	Length	Unit
WY029080	[3/8]"	49"	97"	63
WY029160	[1/2]"	49"	97"	48
NM029160	[1/2]"	49"	97"	48
WY029200	[1/2]"	49"	121"	48
WY029250	[1/2]"	61"	97"	48
WY029201	[1/2]"	61"	121"	48
NM031050*	[5/8]"	49"	97"	39
WY031100	[11/16]"	49"	97"	44
WY031120	[11/16]"	49"	121"	36
WY031082	[11/16]"	61"	97"	30
WY031127	[11/16]"	61"	121"	36
WY031180	[3/4]"	49"	97"	33
WY031185	[3/4]"	49"	121"	33
WY031190*	[3/4]"	49"	145"	33
WY031229	[3/4]"	61"	73"	33
WY031230	[3/4]"	61"	97"	33
WY031232	[3/4]"	61"	109"	33
WY031234	[3/4]"	61"	121"	33
WY031237	[3/4]"	61"	145"	33
WY035000	1"	49"	97"	24
WY035080	1"	61"	97"	24
WY035081	1"	61"	145"	24
WY035320	1[1/8]"	49"	97"	21
WY035325	1[1/8]"	49"	121"	21
WY035059	1[1/8]"	61"	73"	21
WY035360	1[1/8]"	61"	97"	21
WY035362	1[1/8]"	61"	121"	21
WY035363	1[1/8]"	61"	145"	21
WY033000	[3/4]"	25"	97"	33
WY033020	[3/4]"	25"	121"	44
WY033040	[3/4]"	25"	145"	44
WY033120	[3/4]"	30"	97"	33
WY033140	[3/4]"	30"	121"	33
WY033160	[3/4]"	30"	145"	44
WY033180*	[3/4]"	36"	97"	33
WY033200	[3/4]"	36"	121"	33
WY033220	[3/4]"	36"	145"	18

VESTA Particleboard NAUF



- Manufactured using a no added urea-formaldehyde resin system and 100% recycled or recovered wood material
- VESTA particleboard can contribute to credits in the categories of Material & Resources (MR) and Indoor Environmental Quality (IEQ)
- Specifically they include:
 - MR 4.1 Recycled Content: 10% (1 point)
 - MR 4.2 Recycled Content: 20% (1 point added to 4.1)
 - MR 5.1 Regional Materials: 10% Extracted, Processed & Manufactured Regionally (1 point)
 - MR 5.2 Regional Materials: 20% Extracted, Processed & Manufactured Regionally (1 point added to 5.1)
 - IEQ 4.4 Low Emitting Materials: Composite Wood & Agrifiber Products (1 point)

Item #	Thickness	Width	Length	Unit
WYV029160	[1/2]"	49"	97"	45
WYV031100	[11/16]"	49"	97"	33
WYV17388	[11/16]"	49"	121"	33
WYV031180FSC	[3/4]"	49"	97"	30
WYV031185	[3/4]"	49"	121"	30
WYV031230*	[3/4]"	61"	97"	30
WYV031231	[3/4]"	61"	121"	30
WYV031232	[3/4]"	61"	145"	30

Knobs, Pulls & Hinges
Surface Materials
Boards & Panels
Adhesives, Abrasives & Lubricants
Catches & Locks
Fasteners & Fittings
Hinges, Mounting Plates & Bumpers
Kitchen & Bath Accessories
Lighting
Other Functional Hardware
Safety Products
Shelving, Closets & Tracks
Tools & Machines
Wood Finishes
Wood Products

Vesta Fire Retardant Particleboard
NAUF & FSC®-Certified



- VESTA FR particleboard is the no added urea-formaldehyde resin option for building code and project specifications that require fire safety compliance and is FSC certified.
- VESTA FR is a UL approved, Class A/Class 1 fire-rated panel that is ideal for interior, non-structural use in restaurants, schools, hotels, malls, airports, offices and public buildings.
- Stays classified after cutting
- Flame retardant throughout the panel
- Smooth surface properties for laminating and finishing
- Product suitability for a particular application is the responsibility of the fabricator or end user
- Material Safety Data Sheets are available upon request
- All panels are approved for use in interior, non-structural applications
- Contains 100% Recycled/Recovered Wood Content
- ASTM E 84 Standard Test for Surface Burning Characteristics of Building Materials
- MR 4.1 Recycled Content: 10% (1 point)
- MR 4.2 Recycled Content: 20% (1 point added to 4.1)
- MR 5.1 Regional Materials: 10% Extracted, Processed & Manufactured Regionally (1 point)
- MR 5.2 Regional Materials: 20% Extracted, Processed & Manufactured Regionally (1 point added to 5.1)
- MR 7 Certified Wood: Materials & Resources (1 point)
- IEQ 4.4 Low Emitting Materials: Composite Wood & Agrifiber Products (1 point)

Item #	Thickness	Width	Length	Unit
WYFSCV1116	[1 1/16]"	49"	97"	37
WYFSCV348	[3/4]"	49"	97"	34
WYFSCV3410*	[3/4]"	49"	121"	34

PolyBak™ Backer



- Extremely flexible
- Paintable
- Moisture resistant
- No added formaldehyde
- Class A flame spread rating
- GREENGUARD Certified
- Up to 3-1/2 times stronger
- Available in several sheet sizes and 1800-foot rolls
- Balances substrates faced with laminates or veneers
- Stable product with an unlimited shelf life

Item #	Size	Thickness
PB6949X97	49" x 97"	0.020"
PB9049X97*	49" x 97"	0.024"
PB6949X121	49" x 121"	0.020"
PB6961X97	61" x 97"	0.020"
PB6961X121	61" x 121"	0.020"
PB6961X145	61" x 145"	0.020"
PB9061X145	61" x 145"	0.024"
PB6925X1800	25" x 1800'	0.020"
PB6931X1800*	31" x 1800'	0.020"
PB90X1800*	61" x 1800'	0.024"

PG Backer
PolyBak™ Backer



- Extremely flexible
- Paintable
- Moisture resistant
- No added formaldehyde
- Class A flame spread rating
- GREENGUARD Certified
- Up to 3-1/2 times stronger
- Available in several sheet sizes and 1800-foot rolls
- Balances substrates faced with laminates or veneers
- Can be adhered directly to veneers for improved flexibility, strength and stability
- Stable product with an unlimited shelf life

Item #	Size	Thickness
PGB31X145	31" x 145"	0.011"
PGB49X97	49" x 97"	0.011"
PGB61X97	61" x 97"	0.011"

Black Thermofused Melamine

- Stocked melamine colors match most popular RTF colors
- Formica® & Wilsonart® papers available (minimums apply)
- Contact your sales representative for details

Item #	Front/Back	Substrate	Unit	Woodtape Edgebanding
NMS140K259P*	S140/S140 Black	Particleboard	45	WT24161516
NMS140P259P*	S140/S140 Black	Particleboard	32	WT24161516

Flakeboard Bartlett Pearwood Thermofused Melamine

- Flakeboard ThermoFused Melamine (TFM) Decorative Panels consist of melamine resin impregnated decorative paper thermally fused to a substrate
- Patterns are available on one or two sides
- No delamination
- Glue or pressing equipment is not required
- Solvent emissions from drying glue are not a concern and disposal of hazardous chemicals is unnecessary
- Ideal for virtually all vertical applications and many horizontal applications

Item #	Thickness	Width	Length	Front/Back	Substrate	Unit
NMWF256P259P	¾"	61"	109"	WF256/WF256	Particleboard	32

Flakeboard Desert Glow Thermofused Melamine

- Flakeboard ThermoFused Melamine (TFM) Decorative Panels consist of melamine resin impregnated decorative paper thermally fused to a substrate
- Patterns are available on one or two sides
- No delamination
- Glue or pressing equipment is not required
- Solvent emissions from drying glue are not a concern and disposal of hazardous chemicals is unnecessary
- Ideal for virtually all vertical applications and many horizontal applications

Item #	Thickness	Width	Length	Front/Back	Substrate	Unit
NMWF100P259P	¾"	61"	109"	WF100/WF100	Particleboard	32

White Thermofused Melamine

- Stocked melamine colors match most popular RTF colors
- Formica® & Wilsonart® papers available (minimums apply)
- Contact your sales representative for details

Item #	Front/Back	Substrate	Unit	Woodtape Edgebanding
NM1248WHTMEL*	2S	Particleboard	60	WT20021516
NM5859WHTMEL*	2S	Particleboard	30	WT20021516

Plywood Softboard

- Responsibly harvested wood-fiber softboard
- Smooth surface and consistent density
- FSC® Mix Credit Certified

Item #	Thickness	Width	Length	Species
PB124X8SOFTBD	½"	48.5"	96.5"	Cork